



Snatch Block H - Hook

Product information

Intended for general lifting purposes. Can also be used for pulling. WLL in table applies for load on head fitting/hook.

Design: Snatch block type with covering side plates. Provided with swiveling hook with latch. Bronze bushed sheave in 2-4 tons blocks and roller bearings in larger sizes. Grease fitting in the shaft and cross head.

Material: Steel.

Marking: Type, WLL and wire rope diameter.

Finish: Blue painted.

| Part Code | Rope Ø range mm | WLL ton | TA mm | TB mm | TC mm | Ø D1 mm | Ø D2 mm | Weight kg |
|----------------|-----------------|---------|-------|-------|-------|---------|---------|-----------|
| 16.15121030214 | 7-9 | 2 | 82 | 70 | 290 | 75 | 58 | 4 |
| 16.15121040414 | 10-12 | 4 | 120 | 70 | 358 | 115 | 90 | 6 |
| 16.15121060414 | 16-19 | 4 | 160 | 70 | 432 | 150 | 120 | 14 |
| 16.15121080814 | 19-22 | 8 | 210 | 93 | 549 | 200 | 165 | 16 |
| 16.15121101014 | 24-26 | 10 | 260 | 115 | 695 | 250 | 205 | 38 |
| 16.15121121214 | 24-26 | 12 | 310 | 133 | 797 | 300 | 250 | 56 |
| 16.15121081514 | 22-24 | 15 | 210 | 102 | 672 | 200 | 165 | 24 |
| 16.15121121514 | 24-26 | 15 | 310 | 133 | 797 | 300 | 250 | 65 |
| 16.15121142214 | 28-32 | 22 | 365 | 140 | 960 | 355 | 305 | 90 |
| 16.15121123014 | 28-30 | 30 | 310 | 193 | 993 | 300 | 250 | 125 |
| 16.15121163014 | 32-35 | 30 | 415 | 155 | 1,121 | 405 | 350 | 135 |
| 16.15121143514 | 32-35 | 35 | 365 | 193 | 1,028 | 350 | 280 | 130 |
| 16.15121245014 | 46-50 | 50 | 625 | 275 | 1,495 | 600 | 500 | 418 |

Blueprint

