



## Chain Sling CSX-475 Grade 10

### Product information

**Design:** Chain sling with master link on one end and clevis load hook on the other end of each leg.  $\varnothing$  26 mm chain is fitted with eye hooks. Other combinations possible on demand.

**Dimensions:**  $\varnothing$  6–26 mm (other dimensions on demand).

**Material:** Alloy steel.

**Marking:** According to standard, CE-marked

**Temperature range:** -40°C up to 200°C (up to 380° possible on demand)

**Standard:** EN 818-4

**Warning:** Not to be heat-treated.

**Safety factor:** 4:1

**Grade:** 10

Part code	WLL ton
11.91CSX47506XXX	3
11.91CSX47506005	3
11.91CSX47506010	3
11.91CSX47506015	3
11.91CSX47506020	3
11.91CSX47506030	3
11.91CSX47506040	3
11.91CSX47506050	3

11.91CSX47506060	3
11.91CSX47508XXX	5.3
11.91CSX47508005	5.3
11.91CSX47508010	5.3
11.91CSX47508015	5.3
11.91CSX47508020	5.3
11.91CSX47508030	5.3
11.91CSX47508040	5.3
11.91CSX47508050	5.3
11.91CSX47508060	5.3
11.91CSX47510XXX	8
11.91CSX47510005	8
11.91CSX47510010	8
11.91CSX47510015	8
11.91CSX47510020	8
11.91CSX47510030	8
11.91CSX47510040	8
11.91CSX47510050	8
11.91CSX47510060	8
11.91CSX47513XXX	14
11.91CSX47513005	14
11.91CSX47513010	14
11.91CSX47513015	14

11.91CSX47513020	14
11.91CSX47513030	14
11.91CSX47513040	14
11.91CSX47513050	14
11.91CSX47513060	14
11.91CSX47516XXX	21.2
11.91CSX47516005	21.2
11.91CSX47516010	21.2
11.91CSX47516015	21.2
11.91CSX47516020	21.2
11.91CSX47516030	21.2
11.91CSX47516040	21.2
11.91CSX47516050	21.2
11.91CSX47516060	21.2
11.91CSX47519XXX	30
11.91CSX47519005	30
11.91CSX47519010	30
11.91CSX47519015	30
11.91CSX47519020	30
11.91CSX47519030	30
11.91CSX47519040	30
11.91CSX47519050	30
11.91CSX47519060	30

11.91CSX47522XXX	40
11.91CSX47522005	40
11.91CSX47522010	40
11.91CSX47522015	40
11.91CSX47522020	40
11.91CSX47522030	40
11.91CSX47522040	40
11.91CSX47522050	40
11.91CSX47522060	40
11.91CSX47526005	56
11.91CSX47526010	56
11.91CSX47526015	56
11.91CSX47526020	56
11.91CSX47526030	56
11.91CSX47526040	56
11.91CSX47526050	56
11.91CSX47526060	56
11.91CSX47526XXX	56